

# **Perú. La meca de la ornitología.**

## *Reserva de la Biosfera de Manu, Abra Málaga, pelágica en Lima e Iquitos*

*Julio 2011*

*Ferran López, José Luis Copete y Maria Cabau*

Nada más aterrizar en la capital nos dirigimos al hotel España, que previamente habíamos reservado desde Barcelona para poder recuperarnos lo antes posible del palizón del vuelo. A la mañana siguiente un vuelo nacional nos tenía que llevar a Cuzco para iniciar nuestro tour de 9 días al Parque Nacional de Manu pero nuestro vuelo fue desviado por culpa del viento a Arequipa, donde permanecemos un par de horas hasta que finalmente otro avión nos llevó a nuestro destino inicial. Aun siendo un contratiempo para nosotros, ese pequeño desvío temporal nos sirvió para observar un Burrowing Owl, especie que posteriormente no volveríamos a observar en todo el viaje. Una vez en Cuzco nos esperaba nuestro primer guía, Miguel Lezama, junto al conductor y el cocinero, y rápidamente nos dirigimos a las oficinas de Pantiacolla Tours para formalizar los preparativos del tour. Una hora más tarde ya íbamos camino a Manu Road, pasando por diferentes puertos de montaña de más de 4000 m de altura y que nos provocaron nuestros primeros dolores de cabeza relacionados con el mal de altura. Miguel era un buen guía ornitológico que nos iba sacando las diferentes especies que iban apareciendo, relativamente escasas por el momento, pero sólomente iba a estar con nosotros unas pocas horas, relevándose por otro guía, Alex Durand, quien finalizaba otro tour con otro grupo de birders. Al cabo de muy poco rato empezamos a intuir que Alex era un guía excepcional, no solo por el trato amigable que nos ofrecía sino que también por sus conocimientos de identificación, algo que jamás habíamos podido ver en ninguno de nuestro viajes pasados. A medida que íbamos descendiendo por Manu Road hacíamos mini paradas a diferentes alturas, la biodiversidad de aves era increíblemente asombrosa, observando grupos mixtos de tangaras, de unos 40 o 50 ejemplares aproximadamente, que combinaban con varias especies de Flowerpiercers, Bush-tanagers, Flycatchers, Tyrannulets, Tuftedcheeks o Foliage-gleaners.



Bosque Nuboso bajando por Manu Road © Maria Cabau



Bosque Nuboso y entrada al PN de Manu © Maria Cabau

Pasamos dos noches en San Pedro Lodge, estratégicamente bien situado, que nos permitió seguir prospectando a diferentes alturas y por tanto, nuevas especies incluido un lech de Cock-of-the-Rock donde vimos tres machos a corta distancia, una hembra de Lyre-tailed Nightjar posada a plena luz del día y, posteriormente, un espectacular macho por la noche, Golden-headed y Crested Quetzal, Amazonian Umbrellabird, Rufescent Screech-Owl y Blue-banded Toucanet. Una vez en la pequeña población de Atalaya finaliza la carretera y el trayecto sigue a través del río Madre de Dios. A estas alturas ya habíamos observado 5 especies de aves endémicas: **Peruvian Piedtail, Red-and-White Antpitta, Inca Flycatcher, Black-backed Tody-Flycatcher y Cerulean-capped Manakin.**

Unas pocas horas de navegación, donde salieron algunas especies como el King Vulture, Capped Heron, Cocoi Heron, Faced Tiger-Heron, Sunbittern, Black Skimmer o el Yellow-billed Tern, nos llevó hasta Pantiacolla Lodge donde durante dos días fue campamento base a diferentes transectos por la selva. Junto a Manu Road fue sin duda una de las zonas más productivas en cuanto al número y calidad de especies, observando aves tan sorprendes o difíciles de detectar como el Pale-winged Trumpeter, Ringed Antpipit, Peruvian Recurvebill, Golden-crowned Spadebill, Black-spotted Bare-eye, Festive Coquette, Short-tailed Pygmy-Tyrant, hasta cuatro especies de Trogon, cinco de Woodpeckers, once Antbirds o seis de Antshrikes, Antwrens o Manakins entre muchas otras.



Pantiacolla Lodge y ranita nocturna *Epipedobates macero* © Ferran López



Capibara *Hydrochoerus hydrochaeris* desde el río Madre de Dios y hormigas cortahojas *Atta* sp. © Ferran López



Los dos últimos días por la selva del Manu concluyeron en Amazonia Lodge recorriendo los diferentes senderos en busca de nuevas especies y sobre todo disfrutando de la gran variedad de colibríes a muy corta distancia gracias a los bebederos instalados alrededor del lodge. Observamos 9 especies nuevas, entre estas, el espectacular Rufous-crested Coquette. Además, otras especialidades como el Hoatzin, Gray-necked Wood-Rail, Bamboo Antshrike, Plain Softtail, Rufous-capped Nunlet, Tawny-bellied Screech-Owl, Black-banded Owl y otra especie endémica: **Fine-barred Piculet**.

Tras un largo trayecto de vuelta finalizamos el tour visitando el lago Huacarpay, al sureste del valle de Cuzco, situado dentro del Parque Arqueológico de Pikillaqta a una altitud de 3.020 msnm. Este nuevo cambio de hábitat nos proporcionó otras novedades observando especies como Streak-fronted Thornbird, White-browed Chat-Tyrant, Cinereous Harrier, Yellow-winged Blackbird, Tufted Tit-Tyrant, Plumbeous Rail o Many-colored Rush-Tyrant y otra endémica más: **Bearded Mountaineer**.

Nuestra intención para los próximos días consistía en visitar las ruinas de Machu Picchu haciendo escala en Ollantaytambo para poder visitar Abra Málaga pero, al coincidir con el festejo del centenario de las ruinas, no pudimos comprar nuestros billetes del tren a Aguas Calientes hasta 5 días más tarde y decidimos esperar en Ollantaytambo. Nuestra experiencia con Alex Durand fue tan positiva que decidimos contratarlo un par de días más para prospectar el puerto de montaña de Abra Málaga asegurándonos así una mayor eficacia en una de las zonas con más aves endémicas del Perú. Durante los dos días recorrimos las dos vertientes, incluido los bosques de Polylepis que se encuentran a una altitud de unos 4300 m, con la intención de ver y fotografiar el Royal Cinclodes, especie clasificada como en peligro de extinción debido a su bajo número de parejas existentes, y que actualmente mantiene un grado de protección dentro de la iniciativa de para la Conservación Privada del Bosque de Abra Málaga Thastayoc – Royal Cinclodes. Pese a las condiciones extremas debido a la altura y la nieve, al esfuerzo que empleamos en tratar de detectarlo nos recompensó con la observación, en un par de ocasiones, aunque sin posibilidad de fotografiarlo. Otras aves fueron saliendo a nuestro paso a diferentes alturas entre estas diez especies nuevas de colibríes, seis Ground-Tyrants, dos de Antpitta (aunque nos falló el Undulated Antpitta), muchas otras especies especializadas a altas alturas como la Andean Snipe, Andean Pygmy-Owl, Andean Parakeet, Andean Goose o el Trilling Tapaculo, y hasta un total de nueve endémicas: **Green-and-White Hummingbird, White-tufted Sunbeam, Marcapata Spinetail, Creamy-crested Spinetail, Rusty-fronted Canastero, Junin Canastero, Inca Wren, Parodi's Hemispingus y Chestnut-breasted Mountain-Finch**.



Abra Málaga: parte baja y zona del bosque de Polylepis © Maria Cabau

La visita a las ruinas de Machu Picchu nos aportó unas pocas especies nuevas, sobre todo durante el camino de bajada que hicimos a pié o durante el trayecto en tren donde pudimos ver en varias ocasiones Torrent Duck o el White-capped Dipper. Es aconsejable visitar las ruinas a primera hora de la mañana subiendo desde Aguas Calientes con el primer autocar ya que, en pocas horas, las ruinas quedan masificadas de visitantes quitándole cierto encanto. Aún así, merece la pena visitar esta obra maestra de la arquitectura que forma parte de la lista del Patrimonio de la Humanidad de la Unesco y una de las siete maravillas del mundo moderno.

De nuevo en la capital nos esperaba al día siguiente una salida pelágica con Kolibri Expeditions organizada por Gunnar Engblom por una de las zonas marinas más ricas de nutrientes del mundo gracias a la influencia de la corriente de Humboldt que aporta las aguas frías procedentes de la Antártida y que ascienden a la superficie por el borde de la plataforma continental. A mitad de camino se encuentra unas pequeñas islas e islotes donde vimos las grandes colonias de leones marinos a corta distancia y otra especie endémica: **Surf Cincloides**. Además, grandes concentraciones de Inca Tern, cuatro especies de paños, grupitos de Humboldt Penguin y el mamífero más grande en el mundo: una Ballena azul *Balaenoptera musculus*.



León marino sudamericano *Otaria flavescens* durante la salida pelágica en Lima © Ferran López

La segunda parte de nuestro viaje la podríamos denominar como la parte no lúdica y que nos llevaría al norte del país a realizar un trabajo extrayendo muestras de sangre y esperma a diferentes especies de aves por los alrededores de Iquitos. Nuestra colaboración con el proyecto Sperm Evolution and Speciation, que lleva a cabo la Universidad de Oslo, donde se investigan varias hipótesis en la evolución de la forma y velocidad de los espermatozoides en poblaciones alopátricas de una misma especie y que, como derivación del mismo, se está llevando a cabo un mapa de la evolución morfológica del esperma a nivel mundial, nos subvencionó nuestros vuelos entre Barcelona y Lima con la finalidad de obtener las primeras muestras en géneros neotropicales. De este modo nos centramos en capturar con redes japonesas varias especies con el asesoramiento de José Álvarez Alonso, biólogo español que lleva más de 30 años en Perú, trabajando en la ornitología peruana sobre todo en los hábitats de los “white-sands” quien ha descubierto varias especies nuevas de aves para la ciencia (podeis ver una noticia en [http://www.reservoirbirds.com/News.asp#New\\_35](http://www.reservoirbirds.com/News.asp#New_35)). Pepe Álvarez nos acompañó además una mañana a la Reserva Nacional de Alpahuayo – Mishana. A través de los diferentes senderos de la peculiar reserva de arenas blancas fuimos en busca de una de estas especies descubiertas por Pepe: la Perlita de Iquitos *Polioptila clementsii* aunque sin fortuna. Mayor suerte tuvimos con otras especies como sucedió con la Maroon-tailed Parakeet, Violaceous Trogon, Scale-backed Antbird, Orange-crowned Manakin, White-crowned Manakin, Pompadur Cotinga o el espectacular Brown-banded Puffbird.

**MR** – Manu Road (trayecto del tour realizado con el guía Alex Durand, que comprende el trayecto entre Cuzco y a la zona cultural del Parque Nacional de Manu, alrededores de San Pedro y el trayecto en bote por el río Madre de Dios hasta Pantiacolla Lodge).

**PA** – Pantiacolla Lodge.

**AM** – Amazonia Lodge.

**HU** – Lago Huacarpay.

**PI** – Lago Piuray

**AB** – Abra Málaga (puerto de montaña y alrededores).

**MA** – Machu Picchu (trayecto hasta las ruinas y regreso a pie hasta Aguas Calientes).

**LI** – Salida pelágica desde Lima e interior de la ciudad.

**AL** – Reserva Nacional de Allpahuayo-Mishana.

**IQ** – Iquitos y alrededores (Km. 41 hacia Nauta, e isla del río Amazonas)

## Lista de aves

|                                                             |    |
|-------------------------------------------------------------|----|
| <b>Great Tinamou</b> <i>Tinamus major</i>                   | PA |
| <b>White-throated Tinamou</b> <i>Tinamus guttatus</i>       | PA |
| <b>Cinereous Tinamou</b> <i>Crypturellus cinereus</i>       | AM |
| <b>Little Tinamou</b> <i>Crypturellus soui</i>              | PA |
| <b>Brown Tinamou</b> <i>Crypturellus obsoletus</i>          | MR |
| <b>Curve-billed Tinamou</b> <i>Nothoprocta curvirostris</i> | AB |
| <b>Andean Goose</b> <i>Chloephaga melanoptera</i>           | AB |



*Chloephaga melanoptera*, Abra Málaga © Ferran López

|                                                            |    |
|------------------------------------------------------------|----|
| <b>Yellow-billed Pintail</b> <i>Anas georgica</i>          | PI |
| <b>Puna Teal</b> <i>Anas puna</i>                          | PI |
| <b>Speckled Teal</b> <i>Anas flavirostris</i>              | PI |
| <b>Cinnamon Teal</b> <i>Anas cyanoptera</i>                | PI |
| <b>Ruddy Duck</b> <i>Oxyura jamaicensis</i>                | PI |
| <b>Torrent Duck</b> <i>Merganetta armata</i>               | MA |
| <b>Speckled Chachalaca</b> <i>Ortalis guttata</i>          | MR |
| <b>Andean Guan</b> <i>Penelope montagnii</i>               | MR |
| <b>Spix's Guan</b> <i>Penelope jacquacu</i>                | PA |
| <b>White-tufted Grebe</b> <i>Rollandia rolland</i>         | PI |
| <b>Silvery Grebe</b> <i>Podiceps occipitalis</i>           | PI |
| <b>Peruvian Pelican</b> <i>Pelecanus thagus</i>            | LI |
| <b>Peruvian Diving-Petrel</b> <i>Pelecanoides garnotii</i> | LI |





*Pelecanoides garnotii*, pelágica desde Lima © Ferran López

**Sooty Shearwater** *Puffinus griseus*  
**White-chinned Petrel** *Procellaria aequinoctialis*  
**Wilson's Storm-Petrel** *Oceanites oceanicus*  
**White-vented Storm-Petrel** *Oceanites gracilis*

LI  
 LI  
 LI  
 LI





*Oceanites gracilis*, pelágica desde Lima © Ferran López

**Wedge-rumped Storm-Petrel** *Oceanodroma tephys*

LI

**Markham's Storm-Petrel** *Oceanodroma markhami*

LI

**Humboldt Penguin** *Spheniscus humboldti*

LI



*Spheniscus humboldti*, pelágica desde Lima © Ferran López

**Peruvian Booby** *Sula variegata*

LI

**Blue-footed Booby** *Sula nebouxii*

LI

**Neotropic Cormorant** *Phalacrocorax brasilianus*

LI

**Guanay Cormorant** *Phalacrocorax bougainvillii*

LI

**Red-legged Cormorant** *Phalacrocorax gaimardi*

LI



*Phalacrocorax brasilianus* i *Phalacrocorax gaimardi*, pelágica desde Lima © Ferran López

**Cocoi Heron** *Ardea cocoi*

MR

**Fasciated Tiger-Heron** *Tigrisoma fasciatum*

MR





*Tigrisoma fasciatum*, río Madre de Dios © Ferran López

**Cattle Egret** *Bubulcus ibis*  
**Great Egret** *Ardea alba*  
**Boat-billed Heron** *Cochlearius cochlearius*  
**Capped Heron** *Pilherodius pileatus*

HU  
 HU  
 IQ  
 MR



*Pilherodius pileatus*, río Madre de Dios © Ferran López

**Yellow-crowned Night-Heron** *Nycticorax violacea*  
**Snowy Egret** *Egretta thula*  
**Little Blue Heron** *Egretta caerulea*  
**Striated Heron** *Butorides striata*  
**Puna Ibis** *Plegadis ridgwayi*  
**Black-faced Ibis** *Theristicus melanopis*

LI  
 MR  
 MR  
 MR  
 MR  
 MR





*Theristicus melanopsis*, Collquepata, Manu Road © Ferran López

|                                                                   |    |
|-------------------------------------------------------------------|----|
| <b>Black Vulture</b> <i>Coragyps atratus</i>                      | MR |
| <b>Turkey Vulture</b> <i>Cathartes aura</i>                       | MR |
| <b>Greater Yellow-headed Vulture</b> <i>Cathartes melambrotus</i> | MR |
| <b>King Vulture</b> <i>Sarcoramphus papa</i>                      | MR |
| <b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>            | IQ |
| <b>Gray-headed Kite</b> <i>Leptodon cayanensis</i>                | IQ |
| <b>Snail Kite</b> <i>Rostrhamus sociabilis</i>                    | IQ |
| <b>Plumbeous Kite</b> <i>Ictinia plumbea</i>                      | PA |
| <b>Laughing Falcon</b> <i>Herpetotheres cachinnans</i>            | PA |
| <b>Barred Forest-Falcon</b> <i>Micrastur ruficollis</i>           | PA |
| <b>Collared Forest-Falcon</b> <i>Micrastur semitorquatus</i>      | PA |
| <b>White Hawk</b> <i>Leucopternis albigollis</i>                  | MR |
| <b>Black Hawk-Eagle</b> <i>Spizaetus tyrannus</i>                 | MR |
| <b>Solitary Eagle</b> <i>Haptyhaliaetus solitarius</i>            | MR |
| <b>Great Black-Hawk</b> <i>Buteogallus urubitinga</i>             | MR |
| <b>White-throated Hawk</b> <i>Buteo albigula</i>                  | MR |
| <b>Broad-winged Hawk</b> <i>Buteo platypterus</i>                 | MR |
| <b>Roadside Hawk</b> <i>Buteo magnirostris</i>                    | MR |



*Buteo magnirostris*, Manu Road © Ferran López



*Buteo albigula*, Manu Road © Ferran López

|                                                                    |    |
|--------------------------------------------------------------------|----|
| <b>Variable Hawk</b> <i>Buteo polyosoma</i>                        | MR |
| <b>Black-chested Buzzard-Eagle</b> <i>Geranoaetus melanoleucus</i> | MR |
| <b>White-rumped Hawk</b> <i>Buteo leucorrhous</i>                  | MR |
| <b>Osprey</b> <i>Pandion haliaetus</i>                             | IQ |
| <b>Red-throated Caracara</b> <i>Ibycter americanus</i>             | MR |



*Ibycter americanus*, río Madre de Dios © Ferran López

**Black Caracara** *Daptrius ater*  
**Mountain Caracara** *Phalcoboenus megalopterus*

MR  
MR



*Phalcoboenus megalopterus* (juv.), Abra Málaga © Ferran López

**Yellow-headed Caracara** *Milvago chimachima*  
**Cinereous Harrier** *Circus cinereus*  
**American Kestrel** *Falco sparverius*  
**Aplomado Falcon** *Falco femoralis*  
**Sunbittern** *Eurypyga helias*

IQ  
HU  
MR  
AB  
MR






*Eurypyga helias*, río Madre de Dios © Ferran López

**Pale-winged Trumpeter** *Psophia leucoptera*

PA



*Psophia leucoptera*, Pantiacolla Lodge © Ferran López

**Gray-necked Wood-Rail** *Aramides cajanea*

**Blackish Rail** *Pardirallus nigricans*

**Plumbeous Rail** *Pardirallus sanguinolentus*

AM

AM

HU



*Pardirallus sanguinolentus*, Lago Huacarpay © Ferran López

**Black-banded Crake** *Laterallus fasciatus*

**Purple Gallinule** *Porphyrio martinica*

**Common Moorhen** *Gallinula chloropus*

**Andean coot** *Fulica ardesiaca*

IQ

IQ

PI

PI

**Blackish Oystercatcher** *Haematopus ater*  
**Wattled Jacana** *Jacana jacana*  
**Andean Lapwing** *Vanellus resplendens*  
**Collared Plover** *Charadrius collaris*  
**Puna Snipe** *Gallinago andina*  
**Andean Snipe** *Gallinago jamesoni*  
**Lesser Yellowlegs** *Tringa flavipes*  
**Greater Yellowlegs** *Tringa melanoleuca*

LI  
 IQ  
 MR  
 MR  
 HU  
 AB  
 HU  
 MR



*Tringa melanoleuca*, Lago Piuray © Ferran López

**Chilean Skua** *Stercorarius chilensis*  
**Kelp Gull** *Larus dominicanus*  
**Belcher's Gull** *Larus belcheri*  
**Gray Gull** *Larus modestus*  
**Swallow-tailed Gull** *Creagrus furcatus*  
**Inca Tern** *Larosterna inca*

LI  
 LI  
 LI  
 LI  
 LI  
 LI





*Larosterna inca* y *Creagrus furcatus*, pelágica desde Lima © Ferran López

|                                                            |    |
|------------------------------------------------------------|----|
| <b>Andean Gull</b> <i>Larus serranus</i>                   | MR |
| <b>Yellow-billed Tern</b> <i>Sternula superciliaris</i>    | MR |
| <b>Large-billed Tern</b> <i>Phaetusa simplex</i>           | IQ |
| <b>Black Skimmer</b> <i>Rynchops niger</i>                 | MR |
| <b>South American Tern</b> <i>Sterna hirundinacea</i>      | LI |
| <b>Plumbeous Pigeon</b> <i>Patagioenas plumbea</i>         | MR |
| <b>Ruddy Pigeon</b> <i>Patagioenas subvinacea</i>          | PA |
| <b>Band-tailed Pigeon</b> <i>Patagioenas fasciata</i>      | MR |
| <b>Pale-vented Pigeon</b> <i>Patagioenas cayannensis</i>   | MR |
| <b>Spot-winged Pigeon</b> <i>Patagioenas maculosa</i>      | MR |
| <b>Bare-faced Ground-Dove</b> <i>Metriopelia ceciliae</i>  | HU |
| <b>Eared Dove</b> <i>Zenaida auriculata</i>                | MR |
| <b>West Peruvian Dove</b> <i>Zenaida meloda</i>            | LI |
| <b>Rock Pigeon</b> <i>Columba livia</i>                    | MR |
| <b>Ruddy Ground-Dove</b> <i>Columbina talpacoti</i>        | IQ |
| <b>Croaking Ground-Dove</b> <i>Columbina cruziana</i>      | IQ |
| <b>Blue Ground-Dove</b> <i>Claravis pretiosa</i>           | IQ |
| <b>Gray-fronted Dove</b> <i>Leptotila rufaxilla</i>        | AM |
| <b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>           | PA |
| <b>Scarlet Macaw</b> <i>Ara macao</i>                      | PA |
| <b>Military Macaw</b> <i>Ara militaris</i>                 | MR |
| <b>Chestnut-fronted Macaw</b> <i>Ara severus</i>           | MR |
| <b>Blue-headed Macaw</b> <i>Primolius couloni</i>          | MR |
| <b>White-eyed Parakeet</b> <i>Aratinga leucophthalma</i>   | MR |
| <b>Red-masked Parakeet</b> <i>Aratinga erythrogenys</i>    | LI |
| <b>Dusky-headed Parakeet</b> <i>Aratinga weddellii</i>     | AM |
| <b>Maroon-tailed Parakeet</b> <i>Pyrrhura melanura</i>     | AL |
| <b>Andean Parakeet</b> <i>Bolborhynchus orbygnesi</i>      | AB |
| <b>Cobalt-winged Parakeet</b> <i>Brotogeris cyanoptera</i> | PA |
| <b>Dusky-billed Parrotlet</b> <i>Forpus sclateri</i>       | IQ |
| <b>White-bellied Parrot</b> <i>Pionites leucogaster</i>    | PA |
| <b>Orange-cheeked Parrot</b> <i>Pionopsitta barrabandi</i> | PA |
| <b>Blue-headed Parrot</b> <i>Pionus menstruus</i>          | MR |
| <b>Speckle-faced Parrot</b> <i>Pionus tumultuosus</i>      | MR |
| <b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>   | MR |
| <b>Scaly-naped Parrot</b> <i>Amazona mercenaria</i>        | MR |
| <b>Mealy Parrot</b> <i>Amazona farinosa</i>                | PA |
| <b>Dark-billed Cuckoo</b> <i>Coccyzus melacoryphus</i>     | IQ |
| <b>Squirrel Cuckoo</b> <i>Piaya cayana</i>                 | MR |
| <b>Little Cuckoo</b> <i>Piaya minuta</i>                   | IQ |
| <b>Greater Ani</b> <i>Crotophaga major</i>                 | IQ |
| <b>Smooth-billed Ani</b> <i>Crotophaga ani</i>             | MR |
| <b>Groove-billed Ani</b> <i>Crotophaga sulcirostris</i>    | IQ |
| <b>Hoatzin</b> <i>Opisthocomus hoazin</i>                  | AM |





*Opisthocomus hoazin*, Amazonia Lodge © Ferran López

**Burrowing Owl** *Athene cunicularia*  
**Tawny-bellied Screech-Owl** *Megascops watsonii*  
**Rufescent Screech-Owl** *Megascops ingens*

MR  
 AM  
 MR



*Megascops ingens*, Manu Road, y *Megascops watsonii*, Amazonia Lodge © Ferran López

**Black-banded Owl** *Ciccaba huhula*  
**Andean Pygmy-Owl** *Glaucidium jardinii*  
**Peruvian Pygmy-Owl** *Glaucidium peruanum*  
**Great Potoo** *Nyctibius grandis*  
**Lyre-tailed Nightjar** *Uropsalis lyra*

AM  
 AB  
 PA  
 AM  
 MR



*Uropsalis lyra* (hembra), Manu Road © Ferran López

**Band-winged Nightjar** *Caprimulgus longirostris*  
**White-collared Swift** *Cypseloides cryptus*  
**White-chested Swift** *Cypseloides lemosi*  
**Andean Swift** *Aeronautes andecolus*  
**Chestnut-collared Swift** *Streptoprocne rutila*  
**Short-tailed Swift** *Chaetura brachyuran*  
**Fork-tailed Palm-Swift** *Tachornis squamata*  
**Sword-billed Hummingbird** *Ensifera ensifera*  
**Great Sapphirewing** *Pterophanes cyanopterus*  
**Giant Hummingbird** *Patagona gigas*

MR  
MR  
MR  
AB  
MR  
AM  
PA  
AB  
AB  
AB



*Patagona gigas*, Abra Málaga © Ferran López

**Rufous-breasted Hermit** *Glaucis hirsutus*

IQ



*Glaucis hirsutus*, Km.41 carretera a Nauta (Iquitos) © Ferran López

**Green Hermit** *Phaethornis guy*  
**White-browed Hermit** *Phaethornis stuarti*  
**Reddish Hermit** *Phaethornis ruber*  
**White-bearded Hermit** *Phaethornis hispidus*  
**Long-tailed Hermit** *Phaethornis superciliosus*  
**Gray-breasted Sabrewing** *Campylopterus largipennis*  
**White-necked Jacobin** *Florisuga mellivora*

MR  
 MA  
 PA  
 AM  
 PA  
 AM  
 AM



*Florisuga mellivora*, Amazonia Lodge © Ferran López

**Fork-tailed Woodnymph** *Thalurania furcata*  
**Blue-tailed Emerald** *Chlorostilbon mellisugus*  
**Gould's Jewelfront** *Heliodoxa aurescens*  
**Sparkling Violetear** *Colibri coruscans*  
**Green Violetear** *Colibri thalassinus*  
**Festive Coquette** *Lophornis chalybeus*  
**Violet-headed Hummingbird** *Klais guimeti*  
**Rufous-crested Coquette** *Lophornis delattrei*

MR  
 PA  
 AM  
 MR  
 MA  
 PA  
 AM  
 AM





*Lophornis delattrei*, Amazonía Lodge © Ferran López

**Glittering-throated Emerald** *Amazilia fimbriata*  
**Sapphire-spangled Emerald** *Amazilia lactea*

IQ  
AM



*Amazilia lactea*, Amazonía Lodge © Ferran López

|                                                                      |          |    |
|----------------------------------------------------------------------|----------|----|
| <b>Golden-tailed Sapphire</b> <i>Chrysuronia oenone</i>              |          | AM |
| <b>Green-and-White Hummingbird</b> <i>Amazilia viridicauda</i>       | Endémico | AB |
| <b>White-bellied Hummingbird</b> <i>Amazilia chionogaster</i>        |          | AB |
| <b>Green-fronted Lancebill</b> <i>Doryfera ludovicae</i>             |          | MR |
| <b>Peruvian Piedtail</b> <i>Phlogophilus harteti</i>                 | Endémico | MR |
| <b>Speckled Hummingbird</b> <i>Adelomyia melanogenys</i>             |          | MR |
| <b>Violet-fronted Brilliant</b> <i>Heliodoxa leadbeateri</i>         |          | MR |
| <b>White-tufted Sunbeam</b> <i>Aglaeactis castelnaudii</i>           | Endémico | AB |
| <b>Shining Sunbeam</b> <i>Aglaeactis cupripennis</i>                 |          | MR |
| <b>Chestnut-breasted Coronet</b> <i>Boissonneaua matthewsii</i>      |          | MR |
| <b>Bronzy Inca</b> <i>Coeligena coeligena</i>                        |          | MR |
| <b>Violet-throated Starfrontlet</b> <i>Coeligena violifer</i>        |          | MA |
| <b>Long-tailed Sylph</b> <i>Agelaiocercus kingi</i>                  |          | MR |
| <b>Amethyst-throated Sunangel</b> <i>Heliangelus amethysticollis</i> |          | AB |
| <b>Greenish Puffleg</b> <i>Haplophaedia aureliae</i>                 |          | MR |
| <b>Booted Racket-tail</b> <i>Ocreatus underwoodii</i>                |          | MR |
| <b>Green-tailed Trainbearer</b> <i>Lesbia nuna</i>                   |          | AB |

**Bearded Mountaineer** *Oreonympha nobilis*  
**Scalet Metaltail** *Metallura aeneocauda*  
**Purple-backed Thornbill** *Ramphomicron microrhynchum*  
**Tyrian Metaltail** *Metallura tyrianthina*  
**Black-eared Fairy** *Heliophryx auritus*  
**Long-billed Starthroat** *Heliomaster longirostris*  
**White-bellied Woodstar** *Chaetocercus mulsant*  
**Amazilia Hummingbird** *Amazilia amazilia*  
**Masked Trogon** *Trogon personatus*

Endémico

HU  
 MR  
 AB  
 AB  
 PA  
 MR  
 MR  
 LI  
 MR



*Trogon personatus*, Manu Road © Ferran López

**Collared Trogon** *Trogon collaris*  
**Black-tailed Trogon** *Trogon melanurus*  
**White-tailed Trogon** *Trogon viridis*  
**Blue-crowned Trogon** *Trogon curucui*  
**Violaceous Trogon** *Trogon violaceus*  
**Highland Motmot** *Momotus aequatorialis*

PA  
 PA  
 PA  
 PA  
 AL  
 MR



*Momotus aequatorialis*, Manu Road © Ferran López



**Broad-billed Motmot** *Electron platyrhynchum*  
**Crested Quetzal** *Pharomachrus antisianus*  
**Golden-headed Quetzal** *Pharomachrus auriceps*

PA  
MR  
MR



*Pharomachrus antisianus* y *Pharomachrus auriceps*, Manu Road © Ferran López

**Amazon Kingfisher** *Chloroceryle amazon*  
**Ringed Kingfisher** *Megaceryle torquata*  
**Great Jacamar** *Jacamerops aureus*  
**White-eared Jacamar** *Galbalcyrhynchus leucotis*  
**Bluish-fronted Jacamar** *Galbula cyanescens*  
**Brown-banded Puffbird** *Notharchus ordii*  
**Chestnut-capped Puffbird** *Bucco macrodactylus*

MR  
IQ  
PA  
IQ  
MR  
AL  
PA



*Bucco macrodactylus*, Pantiacolla Lodge © Ferran López

**Black-streaked Puffbird** *Malacoptila fulvogularis*  
**Swallow-wing** *Chelidoptera tenebrosa*  
**Black-fronted Nunbird** *Monasa nigrifrons*  
**Rufous-capped Nunlet** *Nonnula ruficapilla*  
**Gilded Barbet** *Capito auratus*  
**Versicolored Barbet** *Eubucco versicolor*  
**Lemon-throated Barbet** *Eubucco richardsoni*  
**Curl-crested Aracari** *Pteroglossus beauharnaesii*  
**Chestnut-eared Aracari** *Pteroglossus castanotis*  
**Many-banded Aracari** *Pteroglossus pluricinctus*  
**Blue-banded Toucanet** *Aulacorhynchus coeruleicinctis*

MR  
MR  
PA  
AM  
PA  
MR  
PA  
PA  
PA  
IQ  
MR





*Aulacorhynchus coeruleicinctis*, Manu Road, y *Pteroglossus pluricinctus*, Iquitos © Ferran López



*Pteroglossus beauharnaesii*, Pantiacolla Lodge © Ferran López

**Gray-breasted Mountain-Toucan** *Andigena hypoglauca*  
**White-throated Toucan** *Ramphastos tucanus*  
**Fine-barred Piculet** *Picumnus subtilis*  
**Rufous-breasted Piculet** *Picumnus rufiventris*

Endémico

MR  
 PA  
 AM  
 PA

**Yellow-tufted Woodpecker** *Melanerpes cruentatus*  
**Little Woodpecker** *Veniliornis affinis*  
**Crimson-mantled Woodpecker** *Piculus rivolii*  
**Spot-breasted Woodpecker** *Colaptes punctigula*  
**Golden-olive Woodpecker** *Piculus rubiginosus*  
**White-throated Woodpecker** *Piculus leucolaemus*  
**Andean Flicker** *Colaptes rupicola*

PA  
AM  
MR  
IQ  
MR  
PA  
AB



*Colaptes rupicola*, Lago Piuray © Ferran López

**Rufous-headed Woodpecker** *Celeus spectabilis*  
**Red-necked Woodpecker** *Campephilus rubicollis*

PA  
PA



*Campephilus rubicollis*, Pantiacolla Lodge © Ferran López

**Crimson-crested Woodpecker** *Campephilus melanoleucos*  
**Wedge-billed Woodcreeper** *Glyphorhynchus spirurus*  
**Strong-billed Woodcreeper** *Xiphocolaptes promeropirhynchus*  
**Buff-throated Woodcreeper** *Xiphorhynchus guttatus*  
**Black-banded Woodcreeper** *Dendrocolaptes picumnus*  
**Amazonian Barred-Woodcreeper** *Dendrocolaptes certhia*  
**Ocellated Woodcreeper** *Xiphorhynchus ocellatus*  
**Elegant Woodcreeper** *Xiphorhynchus elegans*

PA  
PA  
MR  
PA  
AL  
PA  
AL  
PA





*Xiphorhynchus elegans*, Pantiacolla Lodge © Ferran López

**Olive-backed Woodcreeper** *Xiphorhynchus triangularis*

**Olivaceous Woodcreeper** *Sittasomus griseicapillus*

**Montane Woodcreeper** *Lepidocolaptes lacrymiger*

**Red-billed Scythebill** *Campylorhamphus trochilirostris*

MR

PA

MR

MR



*Campylorhamphus trochilirostris*, Manu Road © Ferran López

**Cinnamon-throated Woodcreeper** *Dendrexetastes rufigula*

**Slender-billed Miner** *Geositta tenuirostris*

**Surf Cinclodes** *Cinclodes taczanowskii*

**Wren-like Rushbird** *Phleocryptes melanops*

**Royal Cinclodes** *Cinclodes aricomae*

**Bar-winged Cinclodes** *Cinclodes fuscus*

PA

AB

LI

HU

AB

MR

Endémico





*Cinclodes fuscus*, Abra Málaga © Ferran López

**White-winged Cinclodes** *Cinclodes atacamensis*  
**Tawny Tit-Spinetail** *Leptasthenura yanacensis*  
**Puna Thistletail** *Schizoeaca helleri*

MR  
 AB  
 AB



*Schizoeaca helleri*, Abra Málaga © Ferran López

**Azara's Spinetail** *Synallaxis azarae*  
**Plain-crowned Spinetail** *Synallaxis gujanensis*  
**Dark-breasted Spinetail** *Synallaxis albigularis*  
**White-bellied Spinetail** *Synallaxis propinqua*  
**Parker's Spinetail** *Cranioleuca vulpecula*  
**Plain Softtail** *Thripophaga fusciceps*  
**Marcapata Spinetail** *Cranioleuca marcapatae*

Endémico

MR  
 AM  
 MR  
 IQ  
 IQ  
 AM  
 AB



*Cranioleuca marcapatae*, Abra Málaga © Ferran López

|                                                                       |          |    |
|-----------------------------------------------------------------------|----------|----|
| <b>Creamy-crested Spinetail</b> <i>Cranioleuca albicapilla</i>        | Endémico | AB |
| <b>Rusty-fronted Canastero</b> <i>Asthenes ottonis</i>                | Endémico | AB |
| <b>Junin Canastero</b> <i>Asthenes virgate</i>                        | Endémico | AB |
| <b>Streak-fronted Thornbill</b> <i>Phacellodomus striaticeps</i>      |          | HU |
| <b>Spotted Barbtail</b> <i>PreMRoplex brunnescens</i>                 |          | MR |
| <b>Pearled Treerunner</b> <i>Margarornis squamiger</i>                |          | AB |
| <b>Chestnut-winged Foliage-Gleaner</b> <i>Philydor erythropterum</i>  |          | PA |
| <b>Chestnut-winged Hookbill</b> <i>Ancistrops strigilatus</i>         |          | AM |
| <b>Buff-fronted Foliage-Gleaner</b> <i>Philydor rufum</i>             |          | AM |
| <b>Rufous-tailed Foliage-Gleaner</b> <i>Philydor ruficaudatum</i>     |          | PA |
| <b>Peruvian Recurvebill</b> <i>Simoxenops ucayalae</i>                |          | PA |
| <b>Chestnut-crowned Foliage-Gleaner</b> <i>Automolus rufipileatus</i> |          | AM |
| <b>Brown-rumped Foliage-Gleaner</b> <i>Automolus melanopezus</i>      |          | AM |
| <b>Buff-throated Foliage-Gleaner</b> <i>Automolus ochrolaemus</i>     |          | PA |
| <b>Dusky-cheeked Foliage-Gleaner</b> <i>Anabacenops dorsalis</i>      |          | MR |
| <b>Black-billed Treehunter</b> <i>Thripadectes melanorhynchus</i>     |          | MR |
| <b>Streaked Tuftedcheek</b> <i>Pseudocolaptes boissonneautii</i>      |          | MR |
| <b>Black-tailed Leaf Tosser</b> <i>Sclerurus caudacutus</i>           |          | PA |
| <b>Slender-billed Xenops</b> <i>Xenops tenuirostris</i>               |          | AM |
| <b>Plain Xenops</b> <i>Xenops minutus</i>                             |          | PA |
| <b>Streaked Xenops</b> <i>Xenops rutilans</i>                         |          | MR |
| <b>Lesser Hornero</b> <i>Furnarius minor</i>                          |          | IQ |



*Furnarius minor*, Isla Iquitos, río Amazonas © Ferran López

|                                                                |    |
|----------------------------------------------------------------|----|
| <b>Pale-legged Hornero</b> <i>Furnarius leucopus</i>           | MA |
| <b>Bamboo Antshrike</b> <i>Cymbilaimus sanctaemariae</i>       | AM |
| <b>Fasciated Antshrike</b> <i>Cymbilaimus lineatus</i>         | PA |
| <b>Barred Antshrike</b> <i>Thamnophilus doliatus</i>           | PA |
| <b>Chestnut-backed Antshrike</b> <i>Thamnophilus palliatus</i> | MR |
| <b>White-lined Antbird</b> <i>Perenostola lophotes</i>         | PA |
| <b>Mouse-colored Antshrike</b> <i>Thamnophilus murinus</i>     | AL |
| <b>Plain-winged Antshrike</b> <i>Thamnophilus schistaceus</i>  | PA |
| <b>Castelnau's Antshrike</b> <i>Thamnophilus cryptoleucus</i>  | IQ |
| <b>Spot-winged Antshrike</b> <i>Pygiptila stelleri</i>         | PA |
| <b>Amazonian Antshrike</b> <i>Thamnophilus amazonicus</i>      | IQ |
| <b>Bluish-slate Antshrike</b> <i>Thamnomanes schistogynus</i>  | PA |
| <b>Dusky-throated Antshrike</b> <i>Thamnomanes ardesiacus</i>  | PA |
| <b>Russet Antshrike</b> <i>Thamnites anabatinus</i>            | AM |
| <b>White-backed Fire-eye</b> <i>Pyriglena leuconota</i>        | MR |
| <b>Ornate Antwren</b> <i>Myrmotherula ornata</i>               | MR |
| <b>White-eyed Antwren</b> <i>Myrmotherula leucophthalma</i>    | PA |
| <b>Pygmy Antwren</b> <i>Myrmotherula brachyuran</i>            | PA |
| <b>Stripe-chested Antwren</b> <i>Myrmotherula longicauda</i>   | MR |
| <b>Sclater's Antwren</b> <i>Myrmotherula sclateri</i>          | PA |
| <b>Long-winged Antwren</b> <i>Myrmotherula longipennis</i>     | PA |
| <b>White-flanked Antwren</b> <i>Myrmotherula axillaris</i>     | PA |
| <b>Ancient Antwren</b> <i>Herpsilochmus gentryi</i>            | AL |
| <b>Yellow-browed Antbird</b> <i>Hypocnemis hypoxantha</i>      | AL |
| <b>Warbling Antbird</b> <i>Hypocnemis cantator</i>             | PA |
| <b>Striated Antbird</b> <i>Drymophila devillei</i>             | PA |
| <b>Dot-winged Antwren</b> <i>Microrhopias quixensis</i>        | AM |
| <b>Manu Antbird</b> <i>Cercomacra manu</i>                     | PA |
| <b>Gray Antbird</b> <i>Cercomacra cinerascens</i>              | PA |
| <b>Black Antbird</b> <i>Cercomacra serva</i>                   | MR |
| <b>Black-faced Antbird</b> <i>Myrmoborus myotherinus</i>       | PA |
| <b>White-browed Antbird</b> <i>Myrmoborus leucophrys</i>       | PA |
| <b>Chestnut-tailed Antbird</b> <i>Myrmeciza hemimelaena</i>    | PA |
| <b>Black-throated Antbird</b> <i>Myrmeciza atrothorax</i>      | AM |
| <b>Goeldi's Antbird</b> <i>Myrmeciza goeldii</i>               | PA |
| <b>Black-spotted Bare-eye</b> <i>Phlegopsis nigromaculata</i>  | PA |
| <b>White-throated Antbird</b> <i>Gymnopithys salvini</i>       | PA |



**Black-and-White Antbird** *Myrmochanes hemileucus*

IQ



*Myrmochanes hemileucus*, Isla Iquitos, río Amazonas © Ferran López

- Spot-backed Antbird** *Hylophylax naevius*
- Scale-backed Antbird** *Hylophylax poecilinotus*
- Plain-throated Antwren** *Myrmotherula huxwelli*
- Barred Antthrush** *Chamaeza mollissima*
- Rufous-breasted Antthrush** *Formicarius rufipectus*
- Rufous-capped Antthrush** *Formicarius colma*
- Black-faced Antthrush** *Formicarius analis*
- Stripe-headed Antpitta** *Grallaria andicolus*

PA  
AL  
PA  
MR  
MR  
PA  
PA  
AB



*Grallaria andicolus*, Abra Málaga © Ferran López

- Rufous Antpitta** *Grallaria rufula*
- White-throated Antpitta** *Grallaria albigula*

MR  
MR

**Red-and-White Antpitta** *Grallaria erythroleuca*

Endémico

MR



*Grallaria erythroleuca*, Manu Road © Ferran López

**Thrush-like Antpitta** *Myrmothera campanisona*

PA

**Ash-throated Gnateater** *Conopophaga peruviana*

PA

**Slaty Gnateater** *Conopophaga ardesiaca*

MR

**Amazonian Antpitta** *Hylopezus berlepschi*

PA

**Rusty-belted Tapaculo** *Liosceles thoracicus*

PA

**Trilling Tapaculo** *Scytalopus parvirostris*

AB



*Scytalopus parvirostris*, Abra Málaga © Ferran López

**Sclater's Tyrannulet** *Phyllomyias sclateri*

MA

**Marble-faced Bristle-Tyrant** *Phylloscartes ophthalmicus*

MR

|                                                                 |    |
|-----------------------------------------------------------------|----|
| <b>Slaty-capped Flycatcher</b> <i>Leptopogon superciliaris</i>  | MR |
| <b>Sepia-capped Flycatcher</b> <i>Leptopogon amaurocephalus</i> | PA |
| <b>Inca Flycatcher</b> <i>Leptopogon taczanowskii</i>           | MR |
| <b>Cinnamon-faced Tyrannulet</b> <i>Phylloscartes parkeri</i>   | MR |
| <b>Bolivian Tyrannulet</b> <i>Zimmerius bolivianus</i>          | MR |
| <b>Slender-footed Tyrannulet</b> <i>Zimmerius gracilipes</i>    | PA |
| <b>Greenish Elaenia</b> <i>Myiopagis viridicata</i>             | PA |
| <b>Large Elaenia</b> <i>Elaenia spectabilis</i>                 | IQ |
| <b>Sierran Elaenia</b> <i>Elaenia pallatangae</i>               | MR |

Endémico



*Elaenia pallatangae*, Manu Road © Ferran López

|                                                                   |    |
|-------------------------------------------------------------------|----|
| <b>White-crested Elaenia</b> <i>Elaenia albiceps</i>              | MR |
| <b>Torrent Tyrannulet</b> <i>Serpophaga cinérea</i>               | MR |
| <b>Southern Beardless-Tyrannulet</b> <i>Camptostoma obsoletum</i> | LI |
| <b>Mouse-colored Tyrannulet</b> <i>Phaeomyias murina</i>          | IQ |
| <b>White-lored Tyrannulet</b> <i>Ornithion inerme</i>             | AM |
| <b>Yellow-crowned Tyrannulet</b> <i>Tyrannulus elatus</i>         | PA |
| <b>White-banded Tyrannulet</b> <i>Mecocerculus stictopterus</i>   | AB |
| <b>White-throated Tyrannulet</b> <i>Mecocerculus leucophrys</i>   | MR |
| <b>Many-colored Rush-Tyrant</b> <i>Tachuris rubrigastra</i>       | HU |





*Tachuris rubrigastra*, Lago Huacarpay © Ferran López

**Tufted Tit-Tyrant** *Anairetes parulus*  
**Olive-striped Flycatcher** *Mionectes olivaceus*  
**Streak-necked Flycatcher** *Mionectes striaticollis*  
**Ochre-bellied Flycatcher** *Mionectes oleaginous*  
**Cinnamon Flycatcher** *Pyrrhomyias cinnamomeus*  
**Short-tailed Pygmy-Tyrant** *Myiornis ecaudatus*  
**Scale-crested Pygmy-Tyrant** *Lophotriccus pileatus*  
**Zimmer's Tody-Tyrant** *Hemitriccus minimus*  
**Rusty-fronted Tody-Flycatcher** *Poecilatriccus latirostris*

HU  
 AM  
 MR  
 AM  
 MR  
 PA  
 MR  
 AL  
 IQ



*Poecilatriccus latirostris*, km.41 carretera a Nauta (Iquitos) © Ferran López

|                                                                         |    |
|-------------------------------------------------------------------------|----|
| <b>White-cheeked Tody-Tyrant</b> <i>Poecilatriccus albifacies</i>       | PA |
| <b>Yellow-browed Tody-Flycatcher</b> <i>Todirostrum chrysocrotaphum</i> | AM |
| <b>Common Tody-Flycatcher</b> <i>Todirostrum cinereum</i>               | MA |
| <b>Black-backed Tody-Flycatcher</b> <i>Poecilatriccus pulchellus</i>    | MR |
| <b>Dusky-tailed Flatbill</b> <i>Ramphotrigon fuscicauda</i>             | PA |
| <b>Fulvous-breasted Flatbill</b> <i>Rhynchocyclus olivaceus</i>         | MR |
| <b>Yellow-margined Flycatcher</b> <i>Tolmomyias assimilis</i>           | AL |
| <b>Gray-crowned Flycatcher</b> <i>Tolmomyias poliocephalus</i>          | AM |
| <b>Yellow-breasted Flycatcher</b> <i>Tolmomyias flaviventris</i>        | PA |
| <b>Ringed Antpipit</b> <i>Corythopsis torquatus</i>                     | PA |
| <b>White-crested Spadebill</b> <i>Platyrinchus platyrhynchos</i>        | PA |

Endémico



*Platyrinchus platyrhynchos*, Pantiacolla Lodge © Ferran López

|                                                                   |    |
|-------------------------------------------------------------------|----|
| <b>Golden-crowned Spadebill</b> <i>Platyrinchus coronatus</i>     | PA |
| <b>Cinnamon Tyrant</b> <i>Neopipo cinnamomea</i>                  | AL |
| <b>Bran-colored Flycatcher</b> <i>Myiophobus fasciatus</i>        | PA |
| <b>Unadorned Flycatcher</b> <i>Myiophobus inornatus</i>           | MR |
| <b>Olive Flycatcher</b> <i>Mitrephanes olivaceus</i>              | MR |
| <b>Euler's Flycatcher</b> <i>Lathrotriccus euleri</i>             | PA |
| <b>Fuscos Flycatcher</b> <i>Cnemotriccus fuscatus</i>             | IQ |
| <b>Smoke-colored Pewee</b> <i>Contopus fumigatus</i>              | MR |
| <b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>           | MR |
| <b>White-headed Marsh-Tyrant</b> <i>Arundinicola luecocephala</i> | IQ |
| <b>Black Phoebe</b> <i>Sayornis nigricans</i>                     | MR |
| <b>Riverside Tyrant</b> <i>Knipolegus orenocensis</i>             | IQ |



*Knipolegus orenocensis*, Isla Iquitos, río Amazonas © Ferran López

**Little Ground-Tyrant** *Muscisaxicola fluviatilis*  
**Drab Water-Tyrant** *Ochthornis littoralis*  
**Spot-billed Ground-Tyrant** *Muscisaxicola maculirostris*  
**Andean Negrito** *Lessonia oreas*  
**Rufous-naped Ground-Tyrant** *Muscisaxicola rufivertex*  
**Cinereous Ground-Tyrant** *Muscisaxicola cinereus*

MR  
 MR  
 AB  
 HU  
 MR  
 AB



*Muscisaxicola cinereus*, Abra Málaga © Ferran López

**Taczanowski's Ground-Tyrant** *Muscisaxicola griseus*  
**Puna Ground-Tyrant** *Muscisaxicola juninensis*  
**White-browed Ground-Tyrant** *Muscisaxicola albilora*

AB  
 AB  
 AB



**Ochre-naped Ground-Tyrant** *Muscisaxicola flavinucha*  
**Streak-throated Bush-Tyrant** *Myiotheretes striaticollis*  
**Rufous-webbed Bush-Tyrant** *Polioxolmis rufipennis*

AB  
AB  
PI



*Polioxolmis rufipennis*, Lago Piuray © Ferran López

**Rufous-bellied Bush-Tyrant** *Myiotheretes fusciorufus*  
**Slaty-backed Chat-Tyrant** *Ochthoeca cinnamomeiventris*  
**Brown-backed Chat-Tyrant** *Ochthoeca fumicolor*  
**Rufous-breasted Chat-Tyrant** *Ochthoeca rufipectoralis*

MR  
MR  
AB  
AB



*Ochthoeca rufipectoralis*, Abra Málaga © Ferran López

**White-browed Chat-Tyrant** *Ochthoeca leucophrys*  
**Golden-crowned Flycatcher** *Myiodynastes chrysocephalus*  
**Gray-capped Flycatcher** *Myiozetetes granadensis*  
**Lemon-browed Flycatcher** *Conopias cinchoneti*  
**Boat-billed Flycatcher** *Megarynchus pitangua*  
**Great Kiskadee** *Pitangus sulphuratus*  
**Social Flycatcher** *Myiozetetes similis*  
**Tropical Kingbird** *Tyrannus melancholicus*

HU  
MR  
PA  
MR  
PA  
IQ  
MR  
MR



*Tyrannus melancholicus*, Amazonía Lodge © Ferran López

|                                                              |    |
|--------------------------------------------------------------|----|
| <b>Dusky-capped Flycatcher</b> <i>Myiarchus tuberculifer</i> | MR |
| <b>Cinereous Becard</b> <i>Pachyramphus rufus</i>            | IQ |
| <b>White-winged Becard</b> <i>Pachyramphus polychopterus</i> | PA |
| <b>Barred Becard</b> <i>Pachyramphus versicolor</i>          | MR |
| <b>Citron-bellied Attila</b> <i>Attila citriniventris</i>    | AL |
| <b>Bright-rumped Attila</b> <i>Attila spadiceus</i>          | AL |
| <b>Masked Tityra</b> <i>Tityra semifasciata</i>              | MR |
| <b>Pompadour Cotinga</b> <i>Xipholena punicea</i>            | AL |
| <b>White-browed Purpletuft</b> <i>Iodopleura isabellae</i>   | AL |
| <b>Screaming Piha</b> <i>Lipaugus vociferans</i>             | PA |
| <b>Grayish Mourner</b> <i>Rhytipterna simplex</i>            | PA |
| <b>Purple-throated Fruitcrow</b> <i>Querula purpurata</i>    | PA |
| <b>Red-crested Cotinga</b> <i>Ampelion rubrocristatus</i>    | AB |
| <b>Amazonian Umbrellabird</b> <i>Cephalopterus ornatus</i>   | MR |







*Ampelion rubrocristatus*, Abra Málaga y *Cephalopterus ornatus*, Manu Road © Ferran López

**Plum-throated Cotinga** *Cotinga maynana*  
**Andean Cock-of-the-Rock** *Rupicola peruvianus*

PA  
 MR



*Rupicola peruvianus*, Manu Road © Ferran López

**Wing-barred Manakin** *Piprites chloris*  
**Fiery-capped Manakin** *Machaeropterus pyrocephalus*  
**Dwarf Tyrant-Manakin** *Tyranneutes stolzmanni*  
**Saffron-crested Tyrant-Manakin** *Neopelma chrysocephalum*  
**White-crowned Manakin** *Dixiphia pipra*  
**Orange-crowned Manakin** *Heterocercus aurantiivertex*  
**Yungas Manakin** *Chiroxiphia boliviana*  
**Cerulean-capped Manakin** *Lepidothrix coeruleocapilla*  
**Blue-crowned Manakin** *Lepidothrix coronate*  
**Band-tailed Manakin** *Pipra fasciicauda*  
**Round-tailed Manakin** *Pipra chloromeros*  
**Red-eyed Vireo** *Vireo olivaceus*  
**Brown-capped Vireo** *Vireo leucophrys*  
**Dusky-capped Greenlet** *Hylophilus hypoxanthus*  
**Purplish Jay** *Cyanocorax cyanomelas*  
**Violaceous Jay** *Cyanocorax violaceus*

Endémico

PA  
 PA  
 PA  
 AL  
 AL  
 AL  
 MR  
 MR  
 PA  
 PA  
 PA  
 MR  
 MR  
 PA  
 MR  
 MR



|                                                                       |    |
|-----------------------------------------------------------------------|----|
| <b>Green Jay</b> <i>Cyanocorax yncas</i>                              | MR |
| <b>White-collared Jay</b> <i>Cyanolyca viridicyanus</i>               | MR |
| <b>Brown-chested Martin</b> <i>Progne tapera</i>                      | MR |
| <b>Gray-breasted Martin</b> <i>Progne chalybea</i>                    | IQ |
| <b>Blue-and-White Swallow</b> <i>Pygochelidon cyanoleuca</i>          | MR |
| <b>Pale-footed Swallow</b> <i>Notiochelidon flavipes</i>              | AB |
| <b>Brown-bellied Swallow</b> <i>Notiochelidon murina</i>              | MR |
| <b>White-banded Swallow</b> <i>Atticora fasciata</i>                  | MR |
| <b>Southern Rough-winged Swallow</b> <i>Stelgidopteryx ruficollis</i> | MR |
| <b>White-winged Swallow</b> <i>Tachycineta albiventer</i>             | MR |
| <b>Short-billed Pipit</b> <i>Anthus furcatus</i>                      | PI |



*Anthus furcatus*, Lago Piuray © Ferran López

|                                                             |    |
|-------------------------------------------------------------|----|
| <b>Paramo Pipit</b> <i>Anthus bogotensis</i>                | AB |
| <b>Thrush-like Wren</b> <i>Campylorhynchus turdinus</i>     | PA |
| <b>Chestnut-breasted Wren</b> <i>Cyphorhinus thoracicus</i> | MR |
| <b>Scaly-breasted Wren</b> <i>Microcerculus marginatus</i>  | PA |
| <b>Moustached Wren</b> <i>Thryothorus genibarbis</i>        | MR |
| <b>Inca Wren</b> <i>Thryothorus eisenmanni</i>              | AB |

Endémico



*Thryothorus eisenmanni*, Abra Málaga © Ferran López

|                                                                  |    |
|------------------------------------------------------------------|----|
| <b>Sedge Wren</b> <i>Cistothorus platensis</i>                   | AB |
| <b>Mountain Wren</b> <i>Troglodytes solstitialis</i>             | MR |
| <b>House Wren</b> <i>Troglodytes aedon</i>                       | AB |
| <b>Andean Solitaire</b> <i>Myadestes ralloides</i>               | MR |
| <b>White-eared Solitaire</b> <i>Entomodestes leucotis</i>        | MR |
| <b>Chiguanco Thrush</b> <i>Turdus chiguanco</i>                  | MR |
| <b>Great Thrush</b> <i>Turdus fuscater</i>                       | MR |
| <b>Glossy-black Thrush</b> <i>Turdus serranus</i>                | MA |
| <b>Black-billed Thrush</b> <i>Turdus ignobilis</i>               | PA |
| <b>White-capped Dipper</b> <i>Cinclus leucocephalus</i>          | MA |
| <b>Silver-beaked Tanager</b> <i>Ramphocelus carbo</i>            | MR |
| <b>Masked Crimson Tanager</b> <i>Ramphocelus nigrogularis</i>    | AM |
| <b>Black-faced Tanager</b> <i>Schistochlamys melanopis</i>       | MR |
| <b>Magpie Tanager</b> <i>Cissopis leverianus</i>                 | MR |
| <b>Three-striped Hemispingus</b> <i>Hemispingus trifasciatus</i> | AB |
| <b>Oleaginous Hemispingus</b> <i>Hemispingus frontalis</i>       | MR |
| <b>Parodí's Hemispingus</b> <i>Hemispingus parodii</i>           | AB |

Endémico



*Hemispingus parodii*, Abra Málaga © Ferran López


|                                                                              |    |
|------------------------------------------------------------------------------|----|
| <b>Superciliaried Hemispingus</b> <i>Hemispingus superciliaris</i>           | MR |
| <b>Black-capped Hemispingus</b> <i>Hemispingus atropileus</i>                | AB |
| <b>Yellow-backed Tanager</b> <i>Hemithraupis flavicollis</i>                 | PA |
| <b>Orange-headed Tanager</b> <i>Thlypopsis sordida</i>                       | IQ |
| <b>Rust-and-Yellow Tanager</b> <i>Thlypopsis ruficeps</i>                    | MR |
| <b>Yellow-crested Tanager</b> <i>Tachyphonus rufiventer</i>                  | MR |
| <b>White-shouldered Tanager</b> <i>Tachyphonus luctuosus</i>                 | PA |
| <b>White-winged Shrike-Tanager</b> <i>Lanio versicolor</i>                   | PA |
| <b>Black-goggled Tanager</b> <i>Trichothraupis melanops</i>                  | MR |
| <b>Blue-capped Tanager</b> <i>Thraupis cyanocephala</i>                      | MR |
| <b>Blue-and-Yellow Tanager</b> <i>Thraupis bonariensis</i>                   | AB |
| <b>Palm Tanager</b> <i>Thraupis palmarum</i>                                 | IQ |
| <b>Blue-gray Tanager</b> <i>Thraupis episcopus</i>                           | MR |
| <b>Short-billed Bush-Tanager</b> <i>Chlorospingus parvirostris</i>           | MR |
| <b>Yellow-throated Bush-Tanager</b> <i>Chlorospingus flavigularis</i>        | MR |
| <b>Common Bush-Tanager</b> <i>Chlorospingus ophthalmicus</i>                 | MR |
| <b>Red-crowned Ant-Tanager</b> <i>Habia rubica</i>                           | PA |
| <b>Hooded Mountain-Tanager</b> <i>Buthraupis montana</i>                     | MR |
| <b>Chestnut-bellied Mountain-Tanager</b> <i>Delothraupis castaneiventris</i> | AB |
| <b>Grass-Green Tanager</b> <i>Chlorornis riefferii</i>                       | MR |
| <b>Blue-winged Mountain-Tanager</b> <i>Anisognathus somptuosus</i>           | MR |



|                                                                         |    |
|-------------------------------------------------------------------------|----|
| <b>Scarlet-bellied Mountain-Tanager</b> <i>Anisognathus igniventris</i> | MR |
| <b>Golden-collared Tanager</b> <i>Iridosornis jelskii</i>               | MR |
| <b>Golden Tanager</b> <i>Tangara arthus</i>                             | MR |
| <b>Blue-and-Black Tanager</b> <i>Tangara vassorii</i>                   | MR |
| <b>Beryl-spangled Tanager</b> <i>Tangara nigroviridis</i>               | MR |
| <b>Saffron-crowned Tanager</b> <i>Tangara xanthocephala</i>             | MR |
| <b>Blue-necked Tanager</b> <i>Tangara cyanicollis</i>                   | MR |
| <b>Masked Tanager</b> <i>Tangara nigrocincta</i>                        | PA |
| <b>Spotted Tanager</b> <i>Tangara punctata</i>                          | MR |
| <b>Bay-headed Tanager</b> <i>Tangara gyrola</i>                         | MR |
| <b>Green-and-Gold Tanager</b> <i>Tangara schrankii</i>                  | PA |
| <b>Turquoise Tanager</b> <i>Tangara mexicana</i>                        | AM |
| <b>Paradise Tanager</b> <i>Tangara chilensis</i>                        | MR |



*Tangara chilensis*, Manu Road © Ferran López



*Tangara arthus*, Manu Road y *Ramphocelus nigrogularis*, Amazonía Lodge © Ferran López



*Iridosornis jelskii* y *Chlorornis riefferii*, Manu Road © Ferran López





*Thlypopsis sordida*, Isla Iquitos, río Amazonas y *Anisognathus somptuosus*, Manu Road © Ferran López

**Green Honeycreeper** *Chlorophanes spiza*  
**Orange-eared Tanager** *Chlorochrysa calliparaea*  
**Cinereous Conebill** *Conirostrum cinereum*

PA  
 MR  
 MR



*Conirostrum cinereum*, Lago Huacarpay © Ferran López

**Black-faced Dacnis** *Dacnis lineata*  
**Purple Honeycreeper** *Cyanerpes caeruleus*  
**Hooded Tanager** *Nemosia pileata*  
**Blue-backed Conebill** *Conirostrum sitticolor*  
**Capped Conebill** *Conirostrum albifrons*  
**Hepatic Tanager** *Piranga flava*  
**White-winged Tanager** *Piranga leucoptera*  
**Bluish Flowerpiercer** *Diglossa caerulescens*  
**Masked Flowerpiercer** *Diglossa cyanea*  
**Deep-blue Flowerpiercer** *Diglossa glauca*  
**Moustached Flowerpiercer** *Diglossa mystacalis*  
**Black-throated Flowerpiercer** *Diglossa brunneiventris*  
**Yellow-browed Sparrow** *Ammodramus aurifrons*

PA  
 MR  
 IQ  
 MR  
 MR  
 MA  
 MR  
 MR  
 MR  
 MR  
 MR  
 MR  
 AB  
 MR



*Ammodramus aurifrons*, Km.41 carretera a Nauta (Iquitos) © Ferran López

|                                                            |    |
|------------------------------------------------------------|----|
| <b>Peruvian Sierra-Finch</b> <i>Phrygilus punensis</i>     | MR |
| <b>Mourning Sierra-Finch</b> <i>Phrygilus fruticeti</i>    | MR |
| <b>Ash-breasted Sierra-Finch</b> <i>Phrygilus plebejus</i> | MR |
| <b>Plumbeous Sierra-Finch</b> <i>Phrygilus unicolor</i>    | AB |
| <b>White-winged Diuca-Finch</b> <i>Diuca speculigera</i>   | AB |



*Diuca speculigera*, Abra Málaga © Ferran López

|                                                                     |          |    |
|---------------------------------------------------------------------|----------|----|
| <b>Plain-colored Seedeater</b> <i>Catamenia inornata</i>            |          | AB |
| <b>Band-tailed Seedeater</b> <i>Catamelia analis</i>                |          | MR |
| <b>Chestnut-breasted Mountain-Finch</b> <i>Poospiza caesar</i>      | Endémico | AB |
| <b>Saffron Finch</b> <i>Sicalis flaveola</i>                        |          | IQ |
| <b>Greenish Yellow-Finch</b> <i>Sicalis olivascens</i>              |          | MR |
| <b>Bright-rumped Yellow-Finch</b> <i>Sicalis uropygialis</i>        |          | AB |
| <b>Blue-black Grassquit</b> <i>Volatinia jacarina</i>               |          | IQ |
| <b>Black-and-White Seedeater</b> <i>Sporophila luctuosa</i>         |          | MR |
| <b>Chestnut-bellied Seedeater</b> <i>Sporophila castaneiventris</i> |          | IQ |
| <b>Chestnut-bellied Seed-Finch</b> <i>Oryzoborus angolensis</i>     |          | IQ |
| <b>Large-billed Seed-Finch</b> <i>Oryzoborus crassirostris</i>      |          | IQ |
| <b>Red-capped Cardinal</b> <i>Paroaria gularis</i>                  |          | MR |





*Paroaria gularis*, Manu Road © Ferran López

**Pectoral Sparrow** *Arremon taciturnus*  
**Olive Finch** *Lysurus castaneiceps*  
**Slaty Brush-Finch** *Atlapetes schistaceus*  
**Yellow-shouldered Grosbeak** *Parkerthraustes humeralis*  
**Black-backed Grosbeak** *Pheucticus aureoventris*  
**Blue-Black Grosbeak** *Cyanocompsa cyanoides*  
**Rufous-collared Sparrow** *Zonotrichia capensis*

PA  
MR  
AB  
IQ  
MR  
AM  
MR



*Zonotrichia capensis*, Lago Huacarpay © Ferran López

**Grayish Saltator** *Saltator coerulescens*  
**Buff-throated Saltator** *Saltator maximus*  
**Golden-billed Saltator** *Saltator aurantirostris*  
**Slate-colored Grosbeak** *Saltator grossus*  
**Tropical Parula** *Parula pitaiayumi*  
**Slate-throated Redstart** *Myioborus miniatus*  
**Spectacled Redstart** *Myioborus melanocephalus*  
**Bananaquit** *Coereba flaveola*  
**Citrine Warbler** *Basileuterus luteoviridis*  
**Two-banded Warbler** *Basileuterus bivittatus*  
**Golden-bellied Warbler** *Basileuterus chrysogaster*  
**Three-striped Warbler** *Basileuterus tristriatus*  
**Russet-crowned Warbler** *Basileuterus coronatus*

MR  
MR  
AB  
PA  
MR  
MR  
MR  
MR  
MR  
MR  
MR  
MR



|                                                                 |    |
|-----------------------------------------------------------------|----|
| <b>Buff-rumped Warbler</b> <i>Phaeothlypis fulvicauda</i>       | MR |
| <b>Dusky-green Oropendola</b> <i>Psarocolius atrovirens</i>     | MR |
| <b>Russet-bucket Oropendola</b> <i>Psarocolius angustifrons</i> | MR |
| <b>Casqued Oropendola</b> <i>Clypicterus oseryi</i>             | MR |
| <b>Crested Oropendola</b> <i>Psarocolius decumanus</i>          | MR |
| <b>Olive Oropendola</b> <i>Psarocolius bifasciatus</i>          | MR |
| <b>Yellow-rumped Cacique</b> <i>Cacicus cela</i>                | IQ |
| <b>Mountain Cacique</b> <i>Cacicus chrysonotus</i>              | MR |
| <b>Red-rumped Cacique</b> <i>Cacicus haemorrhous</i>            | MR |
| <b>Giant Cowbird</b> <i>Molothrus oryzivorus</i>                | MR |
| <b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>               | LI |
| <b>Scrub Blackbird</b> <i>Dives warszewiczi</i>                 | LI |
| <b>Moriche Oriole</b> <i>Icterus chryscephalus</i>              | IQ |
| <b>Epaulet Oriole</b> <i>Icterus cayanensis</i>                 | PA |
| <b>Oriole Blackbird</b> <i>Gymnomystax mexicanus</i>            | IQ |
| <b>Yellow-hooded Blackbird</b> <i>Chrysomus icterocephalus</i>  | IQ |
| <b>Yellow-winged Blackbird</b> <i>Agelasticus thilius</i>       | HU |
| <b>Hooded Siskin</b> <i>Carduelis magellanica</i>               | MR |
| <b>Olivaceous Siskin</b> <i>Carduelis olivacea</i>              | MR |
| <b>Black Siskin</b> <i>Carduelis atrata</i>                     | AB |
| <b>Blue-naped Chlorophonia</b> <i>Chlorophonia cyanea</i>       | MR |



*Chlorophonia cyanea*, Manu Road © Ferran López

|                                                             |    |
|-------------------------------------------------------------|----|
| <b>Rufous-bellied Euphonia</b> <i>Euphonia rufiventris</i>  | PA |
| <b>Thick-billed Euphonia</b> <i>Euphonia lanirostris</i>    | MA |
| <b>Orange-bellied Euphonia</b> <i>Euphonia xanthogaster</i> | MR |
| <b>Golden-bellied Euphonia</b> <i>Euphonia chrysopasta</i>  | PA |
| <b>Bronze-green Euphonia</b> <i>Euphonia mesochrysa</i>     | MR |
| <b>House Sparrow</b> <i>Passer domesticus</i>               | IQ |



Parte de las ruinas de Machu Picchu © Ferran López

Para más información:

José Luis Copete: [joseluiscopete@gmail.com](mailto:joseluiscopete@gmail.com)

Ferran López: [ferranlopez@hotmail.com](mailto:ferranlopez@hotmail.com)

Maria Cabau: [lacharitis873@gmail.com](mailto:lacharitis873@gmail.com)

**Los tres autores del report recomiendan contratar los servicios del guía ornitológico Alex Durand. Para ello puedes acceder a su página web Peruvian Birds <http://www.peruvianbird.com/> o enviarle un mail a [alexdurand8@hotmail.com](mailto:alexdurand8@hotmail.com).**



Alex Durand subiendo por la carretera de Abra Málaga © Ferran López







